

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



**U. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service**  
**Cotton and Tobacco Program**  
**Memphis, Tennessee**

# ***UNITED STATES***

## ***Cotton Quality Report***



***Classings Through November 4, 2010***

**Vol. 84, No. 02**

**November 5, 2010**

mp\_cn821

NOV 15 2010

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 4, 2010

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	-	54	573	4,115	29,166	106,588	247,737	388,233
	3	-	-	13	258	2,464	15,338	56,691	144,557	219,321
	4	-	-	2	6	112	725	3,439	9,258	13,542
	5	-	-	-	-	2	16	65	192	275
	6	-	-	-	-	-	-	2	-	2
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	<b>69</b>	<b>837</b>	<b>6,693</b>	<b>45,245</b>	<b>166,785</b>	<b>401,744</b>	<b>621,373</b>
31	1-2	-	-	15	203	1,933	11,185	40,747	82,146	136,229
	3	-	-	42	582	6,940	41,609	160,025	406,970	616,168
	4	-	-	28	125	1,466	10,236	45,839	150,960	208,654
	5	-	-	1	4	90	746	3,878	13,012	17,731
	6	-	-	-	-	3	33	282	622	940
	7	-	-	-	-	-	2	13	15	30
	<b>TOTAL----</b>	-	-	<b>86</b>	<b>914</b>	<b>10,432</b>	<b>63,811</b>	<b>250,784</b>	<b>653,725</b>	<b>979,752</b>
41	1-2	-	-	2	9	158	969	4,352	8,409	13,899
	3	-	-	6	87	1,353	9,944	44,404	113,657	169,451
	4	-	-	7	40	763	6,076	31,823	108,493	147,202
	5	-	-	1	18	168	1,226	6,722	27,889	36,024
	6	-	-	-	-	13	133	996	4,503	5,645
	7	-	-	-	1	-	27	138	414	580
	<b>TOTAL----</b>	-	-	<b>16</b>	<b>155</b>	<b>2,455</b>	<b>18,375</b>	<b>88,435</b>	<b>263,365</b>	<b>372,801</b>
51	1-2	-	-	-	1	11	92	321	616	1,041
	3	-	-	1	1	90	945	4,430	11,206	16,673
	4	-	-	-	-	24	371	2,864	10,265	13,524
	5	-	-	-	-	3	35	354	1,873	2,265
	6	-	-	-	-	-	8	83	410	501
	7	-	-	-	-	-	6	32	135	173
	<b>TOTAL----</b>	-	-	<b>1</b>	<b>2</b>	<b>128</b>	<b>1,457</b>	<b>8,084</b>	<b>24,505</b>	<b>34,177</b>
61	1-2	-	-	-	-	1	-	-	1	2
	3	-	-	-	1	1	28	35	103	168
	4	-	-	-	-	-	6	35	148	189
	5	-	-	-	-	-	-	6	36	42
	6	-	-	-	-	-	-	-	3	3
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	<b>1</b>	<b>2</b>	<b>34</b>	<b>76</b>	<b>291</b>	<b>404</b>
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	1	13	52	402	1,915	5,750	9,074	17,207
	3	-	-	25	171	581	2,373	6,279	10,571	20,000
	4	-	-	6	35	95	452	1,026	1,840	3,454
	5	-	-	-	-	8	27	87	129	251
	6	-	-	-	-	-	3	13	33	49
	7	-	-	-	-	-	-	2	3	5
	<b>TOTAL----</b>	-	<b>1</b>	<b>44</b>	<b>258</b>	<b>1,086</b>	<b>4,770</b>	<b>13,157</b>	<b>21,650</b>	<b>40,966</b>
32	1-2	-	-	3	26	258	1,148	2,442	2,951	6,828
	3	-	-	14	231	1,666	6,980	13,893	18,425	41,209
	4	-	-	19	156	1,115	4,354	10,350	14,740	30,734
	5	-	-	3	21	156	640	1,738	2,863	5,421
	6	-	-	-	1	16	50	137	304	508
	7	-	-	-	-	-	2	21	44	67
	<b>TOTAL----</b>	-	-	<b>39</b>	<b>435</b>	<b>3,211</b>	<b>13,174</b>	<b>28,581</b>	<b>39,327</b>	<b>84,767</b>
42	1-2	-	-	1	2	56	383	1,568	3,505	5,515
	3	-	-	4	45	423	2,720	10,542	28,288	42,022
	4	-	-	4	61	587	3,281	11,024	23,829	38,786
	5	-	-	3	38	272	1,403	4,053	9,034	14,803
	6	-	-	-	3	30	194	662	1,760	2,649
	7	-	-	-	-	5	45	159	301	510
	<b>TOTAL----</b>	-	-	<b>12</b>	<b>149</b>	<b>1,373</b>	<b>8,026</b>	<b>28,008</b>	<b>66,717</b>	<b>104,285</b>
52	1-2	-	-	-	2	119	841	1,471	1,672	4,105
	3	-	-	-	9	500	4,200	12,708	23,352	40,769
	4	-	-	-	2	114	1,265	6,394	17,190	24,965
	5	-	-	-	1	16	187	1,035	3,544	4,783
	6	-	-	-	-	2	23	186	818	1,029
	7	-	-	-	-	-	7	76	210	293
	<b>TOTAL----</b>	-	-	-	<b>14</b>	<b>751</b>	<b>6,523</b>	<b>21,870</b>	<b>46,786</b>	<b>75,944</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 4, 2010

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	2	12	2	15	31
	3	-	-	-	-	9	73	245	476	803
	4	-	-	-	-	-	26	177	568	771
	5	-	-	-	-	-	8	36	193	237
	6	-	-	-	-	-	1	19	103	123
	7	-	-	-	-	-	-	5	23	28
<b>TOTAL----</b>		-	-	-	-	<b>11</b>	<b>120</b>	<b>484</b>	<b>1,378</b>	<b>1,993</b>
13 & 23	1-2	-	-	1	1	11	111	303	709	1,136
	3	-	-	-	4	9	81	408	1,003	1,505
	4	-	-	-	7	9	22	114	180	332
	5	-	-	-	-	-	5	76	70	151
	6	-	-	-	-	-	-	16	48	64
	7	-	-	-	-	-	-	1	5	6
<b>TOTAL----</b>		-	-	<b>1</b>	<b>12</b>	<b>29</b>	<b>219</b>	<b>918</b>	<b>2,015</b>	<b>3,194</b>
33	1-2	-	-	-	1	22	52	227	366	668
	3	-	-	-	21	99	370	886	1,278	2,654
	4	-	-	-	29	107	253	512	571	1,472
	5	-	-	-	16	38	86	190	138	468
	6	-	-	-	2	14	28	50	17	111
	7	-	-	-	-	5	11	6	15	37
<b>TOTAL----</b>		-	-	-	<b>69</b>	<b>285</b>	<b>800</b>	<b>1,871</b>	<b>2,385</b>	<b>5,410</b>
43	1-2	-	-	-	-	-	12	62	145	219
	3	-	-	-	5	36	134	421	969	1,565
	4	-	-	-	10	68	244	468	948	1,738
	5	-	-	-	8	56	231	386	469	1,150
	6	-	-	-	4	28	121	179	173	505
	7	-	-	-	-	4	31	61	48	144
<b>TOTAL----</b>		-	-	-	<b>27</b>	<b>192</b>	<b>773</b>	<b>1,577</b>	<b>2,752</b>	<b>5,321</b>
53	1-2	-	-	-	-	1	14	31	35	81
	3	-	-	-	-	8	107	296	725	1,136
	4	-	-	-	-	3	43	221	815	1,082
	5	-	-	-	-	2	9	115	640	766
	6	-	-	-	-	-	7	56	220	283
	7	-	-	-	-	-	6	41	38	85
<b>TOTAL----</b>		-	-	-	-	<b>14</b>	<b>186</b>	<b>760</b>	<b>2,473</b>	<b>3,433</b>
63	1-2	-	-	-	-	-	-	5	2	7
	3	-	-	-	-	-	5	8	30	43
	4	-	-	-	-	-	1	8	99	108
	5	-	-	-	-	-	1	15	53	69
	6	-	-	-	-	-	-	25	43	68
	7	-	-	-	-	-	-	13	28	41
<b>TOTAL----</b>		-	-	-	-	-	<b>7</b>	<b>74</b>	<b>255</b>	<b>336</b>
24-54	1-7	-	-	-	1	3	46	218	547	815
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	2	8	80	90
All Colors	8 2/	-	-	-	-	3	31	154	169	357
<b>TOTAL, ALL----</b>		<b>0</b>	<b>1</b>	<b>268</b>	<b>2,874</b>	<b>26,668</b>	<b>163,598</b>	<b>611,847</b>	<b>1,530,171</b>	<b>2,335,427</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 4, 2010

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	358,025	338,324	236,559	43,144	11,794	5,584	993,430	1,381,663
	3	224,154	216,292	177,943	46,824	9,182	1,027	675,422	894,743
	4	16,555	18,037	15,755	5,102	1,198	106	56,753	70,295
	5	444	604	611	147	62	17	1,885	2,160
	6	7	21	9	3	1	-	41	43
	7	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>599,185</b>	<b>573,278</b>	<b>430,877</b>	<b>95,220</b>	<b>22,237</b>	<b>6,734</b>	<b>1,727,531</b>	<b>2,348,904</b>
31	1-2	109,120	89,310	40,067	5,476	3,990	9,034	256,997	393,226
	3	620,182	533,585	291,667	44,568	7,775	3,879	1,501,656	2,117,824
	4	274,998	258,087	157,338	26,113	4,667	303	721,506	930,160
	5	25,185	24,734	15,293	2,799	607	39	68,657	86,388
	6	866	966	804	107	16	1	2,760	3,700
	7	7	11	34	-	1	-	53	83
	<b>TOTAL----</b>	<b>1,030,358</b>	<b>906,693</b>	<b>505,203</b>	<b>79,063</b>	<b>17,056</b>	<b>13,256</b>	<b>2,551,629</b>	<b>3,531,381</b>
41	1-2	9,268	5,916	2,566	180	51	732	18,713	32,612
	3	148,861	108,074	49,720	5,352	886	2,154	315,047	484,498
	4	192,671	175,916	100,819	12,955	1,770	256	484,387	631,589
	5	58,673	58,787	38,349	4,713	780	28	161,330	197,354
	6	10,339	9,528	5,843	667	126	12	26,515	32,160
	7	959	933	554	79	12	5	2,542	3,122
	<b>TOTAL----</b>	<b>420,771</b>	<b>359,154</b>	<b>197,851</b>	<b>23,946</b>	<b>3,625</b>	<b>3,187</b>	<b>1,008,534</b>	<b>1,381,335</b>
51	1-2	623	349	155	9	-	1	1,137	2,178
	3	15,964	11,520	6,021	817	52	53	34,427	51,100
	4	16,851	12,608	8,401	1,492	150	11	39,513	53,037
	5	4,107	4,007	3,115	495	89	-	11,813	14,078
	6	767	855	671	139	46	2	2,480	2,981
	7	258	235	229	47	10	-	779	952
	<b>TOTAL----</b>	<b>38,570</b>	<b>29,574</b>	<b>18,592</b>	<b>2,999</b>	<b>347</b>	<b>67</b>	<b>90,149</b>	<b>124,326</b>
61	1-2	-	5	2	-	-	-	7	9
	3	223	154	104	36	3	-	520	688
	4	310	315	190	51	6	-	872	1,061
	5	56	53	68	21	3	-	201	243
	6	5	1	19	4	1	-	30	33
	7	3	2	8	2	-	-	15	15
	<b>TOTAL----</b>	<b>597</b>	<b>530</b>	<b>391</b>	<b>114</b>	<b>13</b>	<b>-</b>	<b>1,645</b>	<b>2,049</b>
71	1-2	-	-	-	-	-	-	-	-
	3	1	-	-	-	-	-	1	1
	4	1	-	-	-	-	-	1	1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	1	1	1
	<b>TOTAL----</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>3</b>	<b>3</b>
12 & 22	1-2	10,698	8,204	3,674	488	97	32	23,193	40,400
	3	13,405	12,342	7,952	1,676	340	24	35,739	55,739
	4	2,499	2,691	2,319	499	92	13	8,113	11,567
	5	164	345	563	39	8	4	1,123	1,374
	6	20	80	103	18	-	-	221	270
	7	2	2	4	1	-	-	9	14
	<b>TOTAL----</b>	<b>26,788</b>	<b>23,664</b>	<b>14,615</b>	<b>2,721</b>	<b>537</b>	<b>73</b>	<b>68,398</b>	<b>109,364</b>
32	1-2	3,036	1,616	825	139	57	207	5,880	12,708
	3	21,710	14,455	8,370	2,131	533	108	47,307	88,516
	4	15,037	12,077	7,938	2,193	455	30	37,730	68,464
	5	3,422	3,404	2,527	477	76	3	9,909	15,330
	6	393	551	535	155	8	-	1,642	2,150
	7	31	69	97	14	-	-	211	278
	<b>TOTAL----</b>	<b>43,629</b>	<b>32,172</b>	<b>20,292</b>	<b>5,109</b>	<b>1,129</b>	<b>348</b>	<b>102,679</b>	<b>187,446</b>
42	1-2	3,366	1,376	336	29	6	54	5,167	10,682
	3	39,316	24,127	8,579	784	125	142	73,073	115,095
	4	32,737	26,993	13,474	1,980	314	36	75,534	114,320
	5	13,042	11,046	5,980	865	172	17	31,122	45,925
	6	2,840	2,316	1,584	302	40	1	7,083	9,732
	7	520	604	582	170	18	-	1,894	2,404
	<b>TOTAL----</b>	<b>91,821</b>	<b>66,462</b>	<b>30,535</b>	<b>4,130</b>	<b>675</b>	<b>250</b>	<b>193,873</b>	<b>298,158</b>
52	1-2	992	456	85	3	-	1	1,537	5,642
	3	23,598	12,570	3,717	286	10	28	40,209	80,978
	4	23,511	15,101	6,375	853	75	2	45,917	70,882
	5	6,091	5,764	2,909	437	33	-	15,234	20,017
	6	1,232	1,147	772	99	31	1	3,282	4,311
	7	365	215	184	20	6	-	790	1,083
	<b>TOTAL----</b>	<b>55,789</b>	<b>35,253</b>	<b>14,042</b>	<b>1,698</b>	<b>155</b>	<b>32</b>	<b>106,969</b>	<b>182,913</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 4, 2010

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	11	2	-	-	-	-	13	44
	3	418	477	295	39	1	-	1,230	2,033
	4	867	872	591	111	14	1	2,456	3,227
	5	370	345	246	41	1	-	1,003	1,240
	6	93	43	145	20	2	-	303	426
	7	25	15	50	4	1	-	95	123
<b>TOTAL----</b>		<b>1,784</b>	<b>1,754</b>	<b>1,327</b>	<b>215</b>	<b>19</b>	<b>1</b>	<b>5,100</b>	<b>7,093</b>
13 & 23	1-2	836	725	358	55	2	4	1,980	3,116
	3	1,213	1,235	947	172	22	-	3,589	5,094
	4	168	230	144	35	13	2	592	924
	5	15	86	30	-	1	-	132	283
	6	12	46	34	-	-	-	92	156
	7	7	4	4	-	-	-	15	21
<b>TOTAL----</b>		<b>2,251</b>	<b>2,326</b>	<b>1,517</b>	<b>262</b>	<b>38</b>	<b>6</b>	<b>6,400</b>	<b>9,594</b>
33	1-2	372	306	162	41	6	-	887	1,555
	3	1,935	1,849	1,723	505	116	2	6,130	8,784
	4	934	970	850	328	53	5	3,140	4,612
	5	182	238	242	47	10	-	719	1,187
	6	16	32	44	6	1	-	99	210
	7	16	22	16	2	-	-	56	93
<b>TOTAL----</b>		<b>3,455</b>	<b>3,417</b>	<b>3,037</b>	<b>929</b>	<b>186</b>	<b>7</b>	<b>11,031</b>	<b>16,441</b>
43	1-2	88	37	33	7	1	-	166	385
	3	1,240	937	799	311	84	10	3,381	4,946
	4	1,220	1,416	1,298	550	103	9	4,596	6,334
	5	533	708	499	190	45	6	1,981	3,131
	6	133	179	115	44	11	1	483	988
	7	43	56	51	10	4	-	164	308
<b>TOTAL----</b>		<b>3,257</b>	<b>3,333</b>	<b>2,795</b>	<b>1,112</b>	<b>248</b>	<b>26</b>	<b>10,771</b>	<b>16,092</b>
53	1-2	28	8	3	-	-	-	39	120
	3	816	407	216	28	7	1	1,475	2,611
	4	1,614	1,066	441	100	45	4	3,270	4,352
	5	1,393	838	309	93	26	3	2,662	3,428
	6	407	224	143	30	17	2	823	1,106
	7	75	53	39	6	4	-	177	262
<b>TOTAL----</b>		<b>4,333</b>	<b>2,596</b>	<b>1,151</b>	<b>257</b>	<b>99</b>	<b>10</b>	<b>8,446</b>	<b>11,879</b>
63	1-2	-	-	-	-	-	-	-	7
	3	61	18	18	9	-	-	106	149
	4	183	87	94	107	3	-	474	582
	5	171	105	96	183	3	-	558	627
	6	87	53	34	35	-	-	209	277
	7	28	43	23	1	-	-	95	136
<b>TOTAL----</b>		<b>530</b>	<b>306</b>	<b>265</b>	<b>335</b>	<b>6</b>	<b>-</b>	<b>1,442</b>	<b>1,778</b>
24-54	1-7	843	1,159	1,153	517	126	7	3,805	4,620
25-35	1-7	-	1	-	1	-	-	2	2
81-85 1/	1-7	192	202	222	108	32	2	758	848
All Colors	8 2/	211	477	585	100	14	-	1,387	1,744
<b>TOTAL, ALL-----</b>		<b>2,324,372</b>	<b>2,042,353</b>	<b>1,244,449</b>	<b>218,836</b>	<b>46,541</b>	<b>13,816</b>	<b>5,900,558</b>	<b>8,235,985</b>
<b>EXTRANEIOUS MATTER</b>		Average Staple -----							35.3
		Percent Tenderable -----							59.2
Bark - Level 1		165,303							
Bark - Level 2		40							
Grass - Level 1		17,747							
Grass - Level 2		242							
Prep - Level 1		1,450							
Prep - Level 2		18							
Other - Level 1		31							
Other - Level 2		-							

8,235,985 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.4	1.3	3.0	4.3	4.1	2.9	0.5	0.1	0.1	16.8
	3	-	-	*	*	*	0.2	0.7	1.8	2.7	2.6	2.2	0.6	0.1	*	10.9
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.5	2.0	4.9	7.3	7.0	5.2	1.2	0.3	0.1	28.5
31	1-2	-	-	*	*	*	0.1	0.5	1.0	1.3	1.1	0.5	0.1	*	0.1	4.8
	3	-	-	*	*	0.1	0.5	1.9	4.9	7.5	6.5	3.5	0.5	0.1	*	25.7
	4	-	-	*	*	*	0.1	0.6	1.8	3.3	3.1	1.9	0.3	0.1	*	11.3
	5	-	-	*	*	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.8	3.0	7.9	12.5	11.0	6.1	1.0	0.2	0.2	42.9
41	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	-	*	*	*	0.1	0.5	1.4	1.8	1.3	0.6	0.1	*	*	5.9
	4	-	-	*	*	*	0.1	0.4	1.3	2.3	2.1	1.2	0.2	*	*	7.7
	5	-	-	*	*	*	*	0.1	0.3	0.7	0.7	0.5	0.1	*	*	2.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.2	1.1	3.2	5.1	4.4	2.4	0.3	*	*	16.8
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	*	1.5
61	1-2	-	-	-	*	*	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	3	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	*	*	*	1.3
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	*	1.1
	4	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.2	0.3	0.5	0.5	0.4	0.2	0.1	*	*	2.3
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	1.4
	4	-	-	*	*	*	*	0.1	0.3	0.4	0.3	0.2	*	*	*	1.4
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.3	0.8	1.1	0.8	0.4	0.1	*	*	3.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	*	1.0
	4	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.1	0.3	0.6	0.7	0.4	0.2	*	*	*	2.2

\* Less than 0.05 percent.

Table 2. — United States: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.3	2.0	7.4	18.6	28.2	24.8	15.1	2.7	0.6	0.3	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.0															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

8,235,985 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.2	0.7	1.5	1.7	1.2	0.8	0.2	*	-	-	6.4
	3	-	-	-	-	0.2	0.7	1.5	1.9	1.7	1.1	0.3	*	-	-	7.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	0.1	0.4	1.4	3.1	3.8	3.1	2.0	0.5	*	-	-	14.4
31	1-2	-	-	*	*	0.3	0.9	1.9	2.1	1.9	1.1	0.3	*	-	-	8.5
	3	-	-	*	0.1	0.6	2.7	5.9	8.6	8.3	4.9	1.2	*	*	-	32.2
	4	-	-	*	*	0.1	0.7	1.6	3.5	4.8	3.3	0.9	*	*	-	15.0
	5	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	*	-	-	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	0.1	1.0	4.3	9.4	14.5	15.4	9.6	2.5	0.1	*	-	57.0
41	1-2	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	0.8
	3	-	-	*	*	0.1	0.6	1.6	2.3	1.9	0.8	0.2	*	-	-	7.6
	4	-	-	*	*	0.1	0.3	0.9	2.1	2.4	1.3	0.4	*	*	-	7.5
	5	-	-	-	*	*	0.1	0.1	0.4	0.6	0.5	0.2	*	*	-	1.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.2	1.1	2.8	5.0	5.2	2.8	0.8	*	*	-	18.0
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	-	-	1.2
32	1-2	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	0.5
	3	-	-	*	*	0.1	0.5	0.9	0.8	0.5	0.1	*	*	-	-	3.0
	4	-	-	*	*	0.1	0.3	0.6	0.7	0.4	0.1	*	*	-	-	2.3
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	0.2	0.9	1.8	1.8	1.1	0.4	0.1	*	-	-	6.3
42	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	-	-	-	0.8
	4	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	*	-	1.1
	5	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	-	*	-	2.6
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2

\* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY		LEAF	STAPLE														
COLOR	26 & - Pct.		28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	0.2	2.0	8.3	18.3	26.4	25.6	15.0	4.0	0.1	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	34.3
																Percent Tenderable	63.7
Bark - Level 1		0.3															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

298,204 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.3	2.9	13.8	20.4	14.3	3.0	0.3	*	55.0
	3	-	-	-	-	-	-	0.1	0.7	3.6	5.6	3.5	0.7	0.1	*	14.2
	4	-	-	-	-	-	-	-	*	0.1	0.5	0.4	*	*	-	1.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.3	3.6	17.5	26.5	18.2	3.7	0.4	*	70.3
31	1-2	-	-	-	-	-	-	0.1	0.7	1.6	2.3	3.1	1.0	0.2	*	9.0
	3	-	-	-	-	-	-	0.1	0.7	1.8	2.1	2.5	0.8	0.2	*	8.1
	4	-	-	-	-	-	*	*	0.1	0.5	0.8	0.8	0.2	*	*	2.4
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.2	1.5	4.0	5.3	6.4	2.0	0.4	*	19.8
41	1-2	-	-	-	-	-	-	*	0.1	0.2	0.1	0.2	0.1	*	-	0.8
	3	-	-	-	-	-	-	*	0.2	0.5	0.2	0.1	*	*	-	1.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.5
	5	-	-	-	-	-	*	*	0.1	0.1	*	0.1	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.5	0.9	0.5	0.5	0.1	*	-	2.7
51	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.2	1.2	1.8	0.7	*	-	-	3.9
	3	-	-	-	-	-	-	*	*	0.2	0.7	0.4	*	-	-	1.4
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.2	1.5	2.5	1.2	0.1	*	-	5.5
32	1-2	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.2	*	-	-	0.5
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.3	0.4	0.1	*	-	1.1
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	0.1	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	*	*	*	0.6	6.1	24.3	35.3	26.7	6.0	0.8	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

95,811 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.6	1.4	1.3	0.4	*	-	-	3.8
	3	-	-	-	-	*	*	0.1	1.0	1.9	1.5	0.7	*	*	-	5.2
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	1.6	3.4	2.8	1.2	*	*	-	9.2
31	1-2	-	-	-	-	*	*	0.2	1.0	2.4	2.2	0.6	*	*	-	6.4
	3	-	-	-	-	*	*	0.8	6.9	15.2	13.6	5.7	0.2	*	-	42.3
	4	-	-	-	-	*	*	0.2	2.5	6.6	5.9	3.4	0.1	*	-	18.8
	5	-	-	-	-	-	*	*	0.1	0.4	0.4	0.2	*	*	-	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	1.2	10.5	24.5	22.0	10.0	0.4	*	-	68.6
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	1.2	2.1	1.6	0.4	*	*	-	5.5
	4	-	-	-	-	*	*	0.1	1.6	4.1	4.1	2.0	*	*	*	11.9
	5	-	-	-	-	*	*	*	0.2	0.9	1.1	0.7	*	*	-	3.0
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.3	3.1	7.2	7.0	3.2	0.1	*	*	20.9
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.1	0.3	0.2	0.1	*	-	-	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY		November 4, 2010															
	LEAF	STAPLE															
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	*	*	0.1	1.7	15.4	35.7	32.1	14.5	0.5	*	*	100.0	
EXTRANEEOUS MATTER		Average Staple Percent Tenderable															35.4 51.5
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.3	2.0	4.7	9.5	6.4	9.4	8.1	40.5
	3	-	-	-	-	-	-	-	-	0.2	1.1	4.7	1.2	1.4	1.0	9.6
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	<b>0.3</b>	<b>2.2</b>	<b>5.8</b>	<b>14.3</b>	<b>7.6</b>	<b>10.8</b>	<b>9.1</b>	<b>50.1</b>
31	1-2	-	-	-	-	-	-	*	*	0.2	0.5	1.3	2.1	5.1	13.4	22.7
	3	-	-	-	-	-	-	-	*	0.1	1.8	6.5	1.8	2.6	5.4	18.1
	4	-	-	-	-	-	-	-	-	*	0.1	1.4	0.1	*	0.1	1.8
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	<b>0.1</b>	<b>0.3</b>	<b>2.5</b>	<b>9.1</b>	<b>4.0</b>	<b>7.7</b>	<b>18.9</b>	<b>42.7</b>
41	1-2	-	-	-	-	-	-	-	-	*	*	*	*	0.1	1.1	1.2
	3	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.1	0.3	3.2	4.0
	4	-	-	-	-	-	-	-	-	-	*	0.2	0.1	0.2	0.3	0.7
	5	-	-	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	<b>0.1</b>	<b>0.1</b>	<b>0.4</b>	<b>0.2</b>	<b>0.7</b>	<b>4.6</b>	<b>6.1</b>
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	*	<b>0.1</b>	<b>0.1</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	*	*	*	*	*	<b>0.1</b>
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.3	0.4
	3	-	-	-	-	-	-	-	*	*	-	*	*	*	0.1	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	*	*	*	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>
42	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	0.2	0.2
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	*	*	*	*	<b>0.3</b>	<b>0.3</b>
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*

\* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	*	0.4	2.7	8.3	23.8	11.9	19.4	33.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		*														Average Staple 38.6
Bark - Level 2		-														Percent Tenderable 90.7
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

67,077 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.2	0.3	0.4	0.9	0.7	*	*	-	2.5
	3	-	-	-	-	*	0.1	0.4	0.4	0.3	0.2	0.2	*	*	-	1.7
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	0.5	0.7	0.7	1.1	0.9	0.1	*	-	4.2
31	1-2	-	-	-	*	0.1	0.7	2.7	2.9	3.0	3.2	1.2	*	-	-	13.8
	3	-	-	-	*	0.1	0.9	4.2	6.2	7.2	6.5	3.8	0.3	*	-	29.2
	4	-	-	-	-	*	0.1	0.2	0.4	0.6	0.8	0.8	0.1	-	-	3.0
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.7	7.2	9.5	10.8	10.6	5.8	0.4	*	-	46.2
41	1-2	-	-	-	-	*	0.2	1.1	1.3	1.2	1.0	0.2	-	-	-	5.0
	3	-	-	-	-	*	0.9	4.7	7.2	6.3	5.2	1.7	*	-	-	26.1
	4	-	-	-	*	*	0.1	0.6	1.7	3.2	3.4	1.6	*	*	-	10.6
	5	-	-	-	-	*	*	*	0.1	0.4	0.6	0.5	*	-	-	1.7
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	*	0.1	1.2	6.4	10.4	11.1	10.3	4.1	0.1	*	-	43.6
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	-	-	-	0.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
32	1-2	-	-	-	-	-	*	*	0.2	0.2	*	*	-	-	-	0.5
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	-	-	-	1.3
	4	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.5	0.7	0.4	0.2	-	-	-	2.0
42	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	-	-	-	1.1
	4	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	-	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.2	0.4	0.8	0.6	0.2	-	-	-	2.3
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3

\* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	*	*	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	*	0.3	3.3	14.7	21.9	24.6	23.3	11.3	0.6	*	*	100
EXTRANEIOUS MATTER																
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

58,197 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	0.4	0.6	0.7	0.6	0.4	*	*	-	2.9
	3	-	-	*	*	0.1	0.2	0.6	0.9	0.8	0.6	0.4	*	*	-	3.6
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.4	0.9	1.4	1.5	1.3	0.8	0.1	*	-	6.6
31	1-2	-	-	*	*	0.1	0.3	0.8	1.2	1.3	1.3	0.8	*	*	-	5.9
	3	-	-	*	*	0.4	1.7	4.8	8.3	9.2	6.8	3.7	0.3	*	*	35.3
	4	-	-	*	*	0.1	0.3	0.8	1.7	2.6	2.5	1.5	0.2	*	*	9.6
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.5	2.3	6.5	11.3	13.2	10.7	6.2	0.5	*	*	51.3
41	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	-	-	0.8
	3	-	-	*	*	0.1	0.6	2.4	4.5	3.9	2.6	1.1	0.1	*	-	15.3
	4	-	-	*	*	*	0.3	1.2	3.1	4.1	3.3	1.7	0.2	*	*	14.0
	5	-	-	*	*	*	*	0.1	0.4	0.7	0.8	0.6	0.1	*	*	2.7
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	1.0	3.9	8.2	9.0	6.9	3.4	0.3	*	*	33.0
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
32	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	3	-	-	*	*	0.1	0.2	0.4	0.5	0.5	0.2	0.1	*	*	-	1.9
	4	-	-	*	*	*	0.2	0.3	0.4	0.3	0.1	*	*	*	-	1.3
	5	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.4	0.8	1.0	0.8	0.4	0.1	*	*	-	3.6
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	-	-	1.4
	4	-	-	*	*	*	0.1	0.4	0.6	0.6	0.3	0.1	*	*	-	2.1
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.3	0.7	1.2	1.2	0.8	0.2	*	*	-	4.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.2

\* Less than 0.05 percent.

Table 8. — Georgia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
13 & 23	1-2	-	-	*	-	-	-	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	0.1	1.0	4.4	13.0	23.4	26.0	20.2	10.9	0.9	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														

845,187 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	0.2	0.2	0.5	0.7	1.4	6.6	8.8	5.8	-	-	-	24.1
	3	-	-	-	-	0.3	0.9	2.8	3.9	11.4	6.0	2.8	*	-	-	28.1
	4	-	-	-	-	-	0.2	2.8	0.6	3.2	0.6	-	-	-	-	7.4
	5	-	-	-	-	-	-	*	0.1	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	0.2	0.5	1.6	6.4	5.9	21.3	15.4	8.6	*	-	-	59.9
31	1-2	-	-	-	-	-	-	*	0.7	1.7	2.3	*	-	-	-	4.8
	3	-	-	-	-	*	0.2	0.5	0.4	4.2	4.0	4.9	0.3	-	-	14.5
	4	-	-	-	-	-	0.1	1.6	2.0	3.6	1.6	0.7	-	-	-	9.5
	5	-	-	-	-	-	-	0.8	0.4	2.2	0.5	-	-	-	-	3.9
	6	-	-	-	-	-	-	-	-	0.3	*	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	2.9	2.9	11.0	7.8	7.9	0.3	-	-	33.0
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	*	0.1	-	-	-	0.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	0.3	0.3	0.1	-	-	-	-	0.7
	3	-	-	-	-	-	-	*	0.9	0.3	1.0	*	-	-	-	2.3
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	1.2	0.6	1.2	*	-	-	-	3.0
32	1-2	-	-	-	-	-	-	-	0.1	*	0.1	*	-	-	-	0.3
	3	-	-	-	-	-	-	*	0.4	0.4	0.4	*	-	-	-	1.3
	4	-	-	-	-	-	-	-	0.7	0.5	0.2	-	-	-	-	1.4
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	1.2	1.0	0.7	0.1	-	-	-	3.0
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	0.2	-	*	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.3	*	*	-	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

[illegible]

4,778 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.4	1.3	2.2	2.0	1.1	0.4	*	-	-	7.3
	3	-	-	-	-	*	0.3	1.0	2.3	2.7	1.6	0.5	*	-	-	8.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.7	2.4	4.7	4.9	2.8	0.9	*	-	-	16.5
31	1-2	-	-	-	*	*	0.2	0.9	1.6	1.2	0.7	0.3	*	*	-	4.9
	3	-	-	-	*	*	0.5	2.8	7.9	10.3	7.2	2.9	0.1	*	-	31.7
	4	-	-	-	-	*	0.1	1.1	3.9	6.7	5.8	2.2	0.1	*	-	20.0
	5	-	-	-	-	-	*	0.2	0.7	1.1	1.2	0.4	*	-	-	3.6
	6	-	-	-	-	-	*	-	0.1	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.9	5.1	14.1	19.4	14.9	5.7	0.3	*	-	60.4
41	1-2	-	-	-	-	-	*	-	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	-	0.2	0.7	0.8	0.5	0.2	*	*	-	2.5
	4	-	-	-	-	*	0.1	0.4	1.5	2.6	2.1	0.9	*	*	-	7.6
	5	-	-	-	-	*	*	0.2	0.9	2.4	2.2	0.8	*	*	-	6.6
	6	-	-	-	-	*	*	0.1	0.3	1.0	0.8	0.2	*	-	-	2.4
	7	-	-	-	-	-	*	-	-	0.1	0.1	-	*	-	-	0.3
	TOTAL----	-	-	-	-	*	0.1	0.9	3.6	6.9	5.8	2.1	0.1	*	-	19.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	-	1.2
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8
	5	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	0.8
	6	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	TOTAL----	-	-	-	-	*	*	*	0.1	0.3	0.7	0.8	0.3	*	-	2.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1

\* Less than 0.05 percent.

Table 10. — Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	1.7	8.5	22.9	32.4	24.8	9.2	0.4	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.1															
Bark - Level 2	-															
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

406,597 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	0.7	1.6	2.0	1.5	0.5	*	*	-	6.6
	3	-	-	-	*	*	0.2	0.9	2.4	2.9	2.0	0.6	*	*	-	9.1
	4	-	-	-	-	-	-	-	0.1	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.4	1.7	4.2	5.1	3.6	1.1	*	*	*	16.2
31	1-2	-	-	-	*	*	0.1	0.4	0.9	1.2	0.9	0.3	*	*	-	3.7
	3	-	-	-	*	*	0.7	3.2	8.2	10.4	7.1	2.0	0.1	*	*	31.9
	4	-	-	-	*	*	0.3	1.6	5.3	7.6	5.3	1.8	0.1	*	*	22.1
	5	-	-	-	-	*	*	0.2	0.6	0.9	0.6	0.2	*	*	*	2.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	0.1	1.1	5.4	15.0	20.1	13.9	4.4	0.3	0.1	*	60.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	*	0.2	0.6	0.7	0.4	0.1	*	*	*	2.0
	4	-	-	-	*	*	0.1	0.8	2.4	3.1	1.9	0.6	*	*	*	8.9
	5	-	-	-	*	*	*	0.3	1.4	2.0	1.4	0.5	*	*	*	5.8
	6	-	-	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	-	0.9
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	*	*	0.2	1.4	4.7	6.2	3.9	1.4	0.1	*	*	17.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.3	0.4	0.2	*	*	-	-	1.1
	4	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	-	-	1.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.3	0.7	0.9	0.5	0.1	*	*	-	2.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.1
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	-	0.7
	6	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.1	0.2	0.6	0.7	0.4	0.1	*	*	-	2.2
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	*	*	*	*	*	*	-	0.1

\* Less than 0.05 percent.

Table 11. — Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	2.0	9.2	25.4	33.3	22.4	7.2	0.4	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

761,714 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.4	1.2	1.3	0.4	*	-	-	3.4
	3	-	-	-	-	-	*	*	0.2	0.7	1.0	0.5	*	-	-	2.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.6	1.9	2.3	0.9	*	-	-	5.9
31	1-2	-	-	-	-	*	*	0.4	1.5	3.4	3.2	0.9	*	-	-	9.4
	3	-	-	-	-	*	*	0.7	4.5	13.6	16.5	6.7	0.1	*	-	42.2
	4	-	-	-	-	*	*	0.1	0.8	3.6	5.7	3.3	0.1	*	-	13.7
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.2	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	1.2	6.8	20.7	25.6	11.2	0.3	*	-	65.8
41	1-2	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	3	-	-	-	-	*	*	0.4	1.9	3.5	2.5	0.5	*	*	-	8.7
	4	-	-	-	-	*	*	0.3	1.9	5.1	5.0	2.1	0.1	*	-	14.4
	5	-	-	-	-	-	*	*	0.2	0.9	1.1	1.0	0.1	*	-	3.1
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.8	4.0	9.7	8.6	3.6	0.1	*	-	-	26.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.1	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	0.3
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	*	-	-	0.6
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 12. — Missouri: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	*	*	0.1	2.1	11.8	32.8	36.9	15.8	0.4	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	35.5
																Percent Tenderable	57.7
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.5	3.3	15.7	47.8	3.5	-	-	70.9
	3	-	-	-	-	-	*	*	*	0.4	0.9	4.7	1.0	-	-	7.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	0.1	0.6	3.7	16.6	52.5	4.6	-	*	78.1
31	1-2	-	-	-	-	-	-	-	*	1.6	6.8	7.5	0.9	-	-	16.8
	3	-	-	-	-	-	-	-	-	0.9	1.0	1.4	-	-	-	3.3
	4	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	2.5	7.8	9.0	0.9	-	-	-	20.2
41	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	-	-	-	-	-	0.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	0.3	0.3	-	-	-	0.7
	3	-	-	-	-	-	-	-	-	0.1	*	0.5	-	-	-	0.6
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	0.1	0.4	0.9	-	-	-	-	1.3
32	1-2	-	-	-	-	-	-	-	-	*	0.1	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/		*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL-----			*	*	*	*	*	*	0.1	0.6	6.4	25.0	62.4	5.5	*	*	100.0	
EXTRANEEOUS MATTER																	Average Staple	36.7
																	Percent Tenderable	96.9
Bark - Level 1			*															
Bark - Level 2			-															
Grass - Level 1			-															
Grass - Level 2			-															
Prep - Level 1			-															
Prep - Level 2			-															
Other - Level 1			-															
Other - Level 1			-															

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.0	1.7	1.3	0.5	0.1	-	-	-	5.0
	3	-	-	-	*	*	0.2	0.7	1.4	1.5	0.7	0.1	*	-	-	4.7
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	<b>0.1</b>	<b>0.5</b>	<b>1.7</b>	<b>3.2</b>	<b>3.0</b>	<b>1.3</b>	<b>0.2</b>	*	-	-	<b>10.0</b>
31	1-2	-	-	-	*	*	0.1	0.2	0.3	0.5	0.3	*	-	-	-	1.5
	3	-	-	-	*	0.1	0.5	1.4	2.4	3.0	2.0	0.6	*	*	-	10.0
	4	-	-	-	*	*	0.2	0.6	1.2	1.7	1.0	0.3	*	*	-	5.0
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	<b>0.2</b>	<b>0.8</b>	<b>2.2</b>	<b>4.1</b>	<b>5.3</b>	<b>3.4</b>	<b>1.0</b>	*	*	-	<b>16.9</b>
41	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7
	3	-	-	-	*	*	0.1	0.5	1.8	3.0	2.0	0.6	*	*	*	8.1
	4	-	-	-	*	*	0.1	0.4	1.4	2.4	1.9	0.7	*	*	-	6.9
	5	-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.2	*	*	-	1.7
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.2</b>	<b>1.1</b>	<b>3.8</b>	<b>6.4</b>	<b>4.6</b>	<b>1.5</b>	<b>0.1</b>	*	*	<b>17.6</b>
51	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.6	1.3	1.7	1.2	0.5	*	-	-	5.6
	4	-	-	-	-	*	0.1	0.4	1.3	1.8	1.1	0.5	*	*	-	5.1
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.2</b>	<b>1.1</b>	<b>2.9</b>	<b>4.0</b>	<b>2.7</b>	<b>1.1</b>	<b>0.1</b>	*	-	<b>12.0</b>
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	*	*	*	<b>0.1</b>	*	*	*	*	-	<b>0.2</b>
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.1</b>	*	*	-	-	<b>0.6</b>
32	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	*	-	-	1.3
	4	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.5</b>	<b>0.7</b>	<b>0.4</b>	<b>0.1</b>	*	*	-	<b>2.2</b>
42	1-2	-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	-	-	-	1.1
	3	-	-	-	-	*	0.1	0.7	2.6	3.8	2.0	0.3	*	*	-	9.6
	4	-	-	-	*	*	0.1	0.4	1.0	1.4	1.1	0.3	*	*	-	4.3
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	-	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	<b>0.3</b>	<b>1.3</b>	<b>4.2</b>	<b>5.9</b>	<b>3.4</b>	<b>0.8</b>	*	*	-	-	<b>15.9</b>
52	1-2	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	-	-	-	0.9
	3	-	-	-	*	0.1	0.6	1.7	3.1	3.2	1.9	0.5	*	-	-	11.1
	4	-	-	-	*	*	0.2	0.9	2.4	3.0	1.7	0.5	*	*	-	8.7
	5	-	-	-	-	*	*	0.1	0.4	0.6	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	<b>0.1</b>	<b>1.0</b>	<b>3.0</b>	<b>6.2</b>	<b>7.1</b>	<b>4.0</b>	<b>1.0</b>	*	*	-	<b>22.4</b>

\* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY		November 4, 2010															
COLOR	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4	
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-	-	0.9	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3	
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.6	
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	*	0.5	3.1	11.1	25.6	33.2	20.4	5.9	0.2	*	*	100.0	
EXTRANEIOUS MATTER		Average Staple														34.7	
		Percent Tenderable														30.1	
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

523,948 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 15. — Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.4	2.1	6.2	17.0	31.6	18.3	1.3	0.2	*	77.1
	3	-	-	*	*	*	0.1	0.4	0.9	1.6	2.5	1.7	0.2	*	-	7.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.5	2.5	7.2	18.7	34.2	20.0	1.5	0.2	*	84.9
31	1-2	-	-	-	-	*	*	0.1	0.3	1.0	2.4	1.5	0.1	*	*	5.3
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.9	0.7	0.1	*	-	2.9
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.3	0.8	1.8	3.4	2.2	0.2	*	*	8.7
41	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
51	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	0.2	0.5	0.7	0.5	0.4	0.1	*	*	-	2.5
	3	-	-	-	*	*	0.1	0.2	0.2	0.2	0.3	0.1	*	*	-	1.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	0.8	0.9	0.7	0.7	0.2	*	*	-	3.7
32	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.2
	3	-	-	-	*	*	0.1	0.1	0.1	0.1	0.2	0.1	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.3	0.2	0.3	0.1	*	*	-	1.3
42	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	*	-	0.4
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.2	0.2	0.1	0.1	*	-	*	-	0.6
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.2	1.1	4.1	9.5	21.6	38.8	22.7	1.7	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.8														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														

98,607 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.8	0.7	0.6	0.1	*	-	-	3.0
	3	-	-	-	-	*	0.1	0.4	0.8	1.0	0.7	*	*	-	-	3.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	0.9	1.6	1.8	1.3	0.4	*	-	-	6.4
31	1-2	-	-	-	-	*	*	0.3	0.6	0.6	0.6	0.1	*	-	-	2.3
	3	-	-	-	-	*	0.1	0.7	2.1	3.6	2.8	0.4	0.1	*	-	10.8
	4	-	-	-	-	-	*	*	0.3	0.9	0.8	0.2	*	*	-	2.9
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	1.0	3.0	5.1	4.3	2.6	0.1	*	-	16.2
41	1-2	-	-	-	-	*	*	0.1	0.5	0.6	0.6	0.1	*	-	-	2.3
	3	-	-	-	-	*	0.1	1.0	4.5	7.9	7.1	1.0	0.3	*	-	25.2
	4	-	-	-	-	*	0.1	0.4	2.0	5.1	6.3	1.0	0.4	*	-	18.4
	5	-	-	-	-	-	*	0.1	0.2	0.8	1.4	0.3	0.2	*	-	3.9
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.5
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.2	1.6	7.2	14.3	15.7	10.5	0.9	*	-	50.4
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	0.1	0.3	0.7	0.6	*	*	*	-	1.8
	4	-	-	-	-	-	*	*	0.3	0.7	0.6	0.1	*	*	-	1.9
	5	-	-	-	-	-	-	*	0.1	0.2	0.3	*	*	*	-	0.8
	6	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.6	1.7	1.6	0.6	*	*	-	4.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.2
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.5
32	1-2	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.6
	3	-	-	-	-	*	0.1	0.2	0.5	0.9	0.6	*	*	-	-	2.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.7	1.3	0.9	0.3	*	-	-	3.5
42	1-2	-	-	-	-	*	*	*	0.2	0.3	0.3	*	*	-	-	0.8
	3	-	-	-	-	*	0.1	0.3	1.6	3.1	2.5	0.2	*	*	-	8.7
	4	-	-	-	-	-	*	0.1	0.6	1.4	1.7	0.2	*	*	-	4.7
	5	-	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	*	-	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.5	2.5	5.1	4.8	2.2	0.1	*	-	15.3
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.2	0.3	0.2	*	*	-	-	0.8
	4	-	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	1.1
	5	-	-	-	-	-	-	*	*	0.2	0.2	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	0.1	0.4	1.0	0.9	0.4	*	-	-	2.7

\* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	0.8	4.5	16.2	30.6	29.6	17.0	1.2	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

136,790 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.4	2.6	6.5	6.1	2.4	0.4	*	-	-	18.3
	3	-	-	-	-	*	0.2	1.5	4.2	5.4	2.8	0.7	*	*	-	14.7
	4	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	-	-	0.8
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.6	4.1	10.8	11.8	5.4	1.1	*	*	-	33.8
31	1-2	-	-	-	-	*	0.3	1.6	3.0	2.3	1.0	0.2	*	-	-	8.3
	3	-	-	-	*	*	0.8	5.1	11.3	12.1	6.1	1.4	*	*	-	36.8
	4	-	-	-	-	*	0.2	1.1	3.3	4.4	3.0	1.0	*	*	-	12.9
	5	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	1.3	7.8	17.7	19.1	10.4	2.7	0.1	*	-	59.1
41	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.3	0.6	0.6	0.3	0.1	*	*	-	2.0
	4	-	-	-	-	*	0.1	0.5	0.9	0.9	0.5	0.2	*	*	-	3.1
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	0.2	0.8	1.7	1.9	1.1	0.4	*	*	-	6.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*

\* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY		LEAF	STAPLE														
COLOR	26 & - Pct.		28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	5	-	-	-	-	*	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	*	-	*	*	*	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	*	0.1	2.0	12.9	30.6	33.1	17.0	4.2	0.1	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	34.6
																Percent Tenderable	67.4
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

615,540 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.7	2.3	5.5	8.4	8.3	30.3	1.3	0.2	*	33.3
	3	-	-	"	"	"	0.2	0.7	2.1	4.0	5.0	24.7	1.7	0.3	*	19.4
	4	-	-	"	"	"	"	0.1	0.2	0.4	0.5	2.3	0.2	*	*	1.8
	5	-	-	-	-	"	"	"	"	"	"	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	"	-	"	"	"	"	"	-	*
	7	-	-	-	-	-	-	"	-	"	"	"	"	"	-	*
	TOTAL----	-	-	*	*	0.1	0.9	3.1	7.7	12.8	13.8	12.5	3.1	0.5	*	54.6
31	1-2	-	-	*	*	"	0.1	0.2	0.3	0.5	0.4	1.6	0.1	*	*	1.9
	3	-	-	"	"	"	0.1	0.4	1.1	2.4	3.2	18.7	1.3	0.2	*	12.8
	4	-	-	-	*	"	"	0.1	0.4	1.1	1.7	9.3	0.8	0.2	*	6.3
	5	-	-	-	-	"	"	"	0.1	0.2	0.2	0.9	0.1	*	*	0.8
	6	-	-	-	-	"	"	"	"	"	"	0.1	*	*	*	0.1
	7	-	-	-	-	-	"	"	"	"	"	"	-	"	-	*
	TOTAL----	-	-	*	*	"	0.2	0.7	2.0	4.1	5.5	6.7	2.2	0.4	*	21.9
41	1-2	-	-	*	*	"	"	0.1	0.1	0.1	"	0.2	*	*	*	0.3
	3	-	-	"	"	"	"	0.2	0.5	0.9	0.8	3.5	0.2	*	*	3.4
	4	-	-	-	*	"	"	0.1	0.3	0.7	1.0	5.7	0.3	0.1	*	3.7
	5	-	-	-	"	"	"	"	0.1	0.2	0.3	1.6	0.1	*	*	1.1
	6	-	-	-	-	"	"	"	"	"	0.1	0.4	*	*	*	0.2
	7	-	-	-	-	"	"	"	"	"	"	0.1	*	*	*	*
	TOTAL----	-	-	*	*	"	0.1	0.3	1.0	1.9	2.2	2.5	0.6	0.1	*	8.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	"	-	-	"	"	0.1	0.1	0.1	0.5	*	*	-	0.5
	4	-	-	-	-	-	"	"	"	0.1	"	0.2	0.9	*	*	0.6
	5	-	-	-	-	-	"	"	"	"	0.1	0.3	*	*	-	0.2
	6	-	-	-	-	-	"	"	"	"	"	0.1	*	*	-	0.1
	7	-	-	-	-	-	"	"	"	"	"	"	*	*	-	*
	TOTAL----	-	-	*	-	"	"	"	0.1	0.3	0.4	0.4	0.1	*	*	1.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	"	"	"	"	"	"	"	-	*
	4	-	-	-	-	-	-	"	"	"	"	"	"	"	-	*
	5	-	-	-	-	-	-	"	"	"	"	"	"	"	-	*
	6	-	-	-	-	-	-	"	"	"	"	"	"	"	-	*
	7	-	-	-	-	-	-	-	-	-	-	"	"	"	-	*
	TOTAL----	-	-	-	-	-	-	"	"	"	"	"	"	"	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	"	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	"	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	"	-	-	-	-	-	*
12 & 22	1-2	-	-	*	*	"	"	0.2	0.3	0.3	0.2	0.5	*	*	*	1.1
	3	-	-	"	"	"	0.1	0.2	0.3	0.4	0.4	1.2	0.1	*	*	1.6
	4	-	-	"	"	"	"	"	"	0.1	0.1	0.4	*	*	*	0.4
	5	-	-	-	-	"	"	"	"	"	"	0.1	*	*	*	*
	6	-	-	-	-	-	"	"	"	"	"	"	"	"	-	*
	7	-	-	-	-	-	"	"	"	"	"	"	"	"	-	*
	TOTAL----	-	-	*	"	"	0.1	0.4	0.6	0.8	0.7	0.5	0.1	*	*	3.2
32	1-2	-	-	*	*	"	"	"	"	"	"	0.1	"	"	*	0.2
	3	-	-	"	"	"	0.1	0.2	0.2	0.3	0.3	1.1	0.1	*	*	1.4
	4	-	-	"	"	"	0.1	0.1	0.2	0.2	0.2	1.0	0.1	*	*	1.1
	5	-	-	"	"	"	"	"	"	0.1	0.1	0.4	*	*	*	0.3
	6	-	-	-	"	"	"	"	"	"	"	0.1	*	*	-	0.1
	7	-	-	-	-	"	"	"	"	"	"	"	"	"	-	*
	TOTAL----	-	-	"	"	"	0.2	0.4	0.5	0.6	0.6	0.6	0.2	*	*	3.1
42	1-2	-	-	-	-	"	"	"	"	"	"	"	"	"	*	0.1
	3	-	-	-	"	"	"	0.1	0.2	0.3	0.2	0.7	"	*	*	1.1
	4	-	-	-	"	"	"	0.1	0.3	0.4	0.4	1.4	0.1	*	*	1.7
	5	-	-	-	"	"	"	0.1	0.1	0.2	0.2	0.6	"	*	*	0.8
	6	-	-	-	-	"	"	"	"	0.1	"	0.2	"	*	*	0.2
	7	-	-	-	-	"	"	"	"	"	"	0.1	"	"	-	0.1
	TOTAL----	-	-	-	"	"	0.1	0.3	0.7	1.0	0.9	0.7	0.1	"	*	3.9
52	1-2	-	-	-	"	"	"	"	"	"	"	"	"	"	-	*
	3	-	-	-	-	"	"	"	0.1	0.1	0.1	0.2	"	"	"	0.3
	4	-	-	-	-	"	"	"	0.1	0.1	0.2	0.6	"	*	*	0.6
	5	-	-	-	-	"	"	"	"	0.1	0.1	0.4	*	*	-	0.3
	6	-	-	-	-	"	"	"	"	"	"	0.1	*	*	*	0.1
	7	-	-	-	-	"	"	"	"	"	"	"	"	"	-	*
	TOTAL----	-	-	-	"	"	"	"	0.1	0.2	0.3	0.4	0.3	0.1	*	1.3

\* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE													
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.1
	3	-	-	-	*	*	*	*	*	*	*	0.2	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.3
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.3	*	*	0.3
	4	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	0.2	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		*	*	*	*	0.3	1.5	5.4	13.1	22.2	24.9	24.6	6.7	1.2	100.0
EXTRANEEOUS MATTER															
Bark - Level 1		5.9													
Bark - Level 2		*													
Grass - Level 1		0.5													
Grass - Level 2		*													
Prep - Level 1		*													
Prep - Level 2		*													
Other - Level 1		*													
Other - Level 1		-													

2,670,931 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.9	2.5	3.5	2.0	0.5	*	-	-	-	9.6
	3	-	-	-	-	0.1	0.9	2.6	3.0	2.2	0.6	*	-	-	-	9.5
	4	-	-	-	-	*	=	0.2	0.2	0.3	0.1	=	-	-	-	0.9
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	1.9	5.3	6.7	4.5	1.3	0.1	-	-	-	20.0
31	1-2	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	-	*	0.2	1.0	2.1	1.7	1.3	0.3	*	-	-	-	6.5
	4	-	-	-	*	0.1	0.4	0.9	1.2	1.0	0.3	*	-	-	-	3.9
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.3	1.5	3.3	3.3	2.4	0.7	0.1	*	-	-	11.4
41	1-2	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.2	0.7	1.1	0.5	*	-	-	-	2.7
	4	-	-	-	-	*	*	*	0.1	0.4	0.5	*	-	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	0.1	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.3	0.8	1.6	1.0	0.3	-	-	-	4.3
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.3	0.9	2.7	3.2	0.8	*	*	-	-	7.9
	4	-	-	-	-	*	0.1	0.3	1.3	2.3	1.0	*	-	-	-	5.2
	5	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.7
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	1.3	4.3	5.8	1.9	0.4	*	-	-	14.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	0.1	0.2	0.3	0.2	*	-	-	-	-	0.7
	3	-	-	-	-	*	0.1	0.2	0.3	*	*	-	-	-	-	0.8
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	-	-	-	1.8
32	1-2	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.2	0.3	0.2	0.1	*	*	-	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	0.5	0.5	0.2	0.1	*	-	-	-	1.6
42	1-2	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	-	1.2
	3	-	-	-	-	*	0.3	1.0	1.6	2.1	1.2	*	-	-	-	6.3
	4	-	-	-	-	*	*	0.1	0.2	0.5	0.5	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	*	*	0.1	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.4	1.4	2.3	2.7	1.8	0.4	-	-	-	9.0
52	1-2	-	-	-	-	*	0.1	0.4	0.5	0.1	*	*	-	-	-	1.2
	3	-	-	-	*	0.2	1.4	4.8	8.4	6.7	1.5	*	-	-	-	23.1
	4	-	-	-	-	*	0.3	1.2	3.0	4.0	1.9	*	-	-	-	10.6
	5	-	-	-	-	*	*	0.2	0.3	0.4	0.4	*	-	-	-	1.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	1.9	6.6	12.2	11.2	3.9	0.3	-	-	-	36.3

\* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 4, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
13 & 23	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.8	6.7	19.5	31.2	29.3	10.9	1.6	*	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

62,411 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 4, 2010

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>MIKE</b> 24 & below	-	*	-	-	-	-	0.6	"	-
25	-	*	*	-	-	*	1.7	"	-
26	-	*	*	-	-	-	0.9	*	-
27	*	*	*	0.1	-	*	0.2	*	*
28	*	*	*	0.3	-	*	0.2	*	*
29	*	*	*	0.5	-	*	-	*	*
30	*	*	*	0.7	-	*	0.5	*	*
31	*	0.1	*	0.8	*	*	3.3	*	*
32	*	*	*	1.3	*	*	3.8	*	*
33	*	0.1	*	1.8	*	*	3.7	*	*
34	0.1	0.4	*	3.2	*	*	5.2	*	*
35	0.2	0.5	*	4.9	*	*	5.8	*	*
36	0.3	0.7	*	5.8	*	0.1	3.8	*	*
37	0.5	1.0	*	8.8	0.1	0.1	2.5	*	0.1
38	0.7	1.2	0.1	10.6	0.1	0.1	3.6	0.1	0.1
39	1.1	1.9	0.1	9.4	0.3	0.3	4.6	0.2	0.1
40	1.8	2.3	0.2	8.1	0.4	0.5	5.5	0.3	0.2
41	2.9	3.3	0.4	7.6	0.5	0.8	4.5	0.6	0.4
42	4.4	3.9	0.8	7.2	0.8	1.5	4.8	0.9	0.8
43	6.3	5.2	1.4	7.4	1.2	2.3	4.0	1.7	1.4
44	7.5	6.3	2.5	6.4	2.5	3.6	4.3	2.9	2.4
45	8.4	8.0	4.4	5.7	5.0	5.7	8.0	4.0	4.0
46	9.7	9.4	6.8	4.0	8.9	8.4	8.4	5.5	6.0
47	10.2	10.8	9.6	2.9	12.5	11.2	5.6	7.7	8.6
48	10.2	11.2	12.1	1.6	14.9	13.2	5.3	10.2	11.4
49	9.7	10.5	13.9	0.7	15.6	14.2	4.1	13.8	14.0
50	8.6	9.6	15.2	0.2	14.3	13.3	2.1	16.0	14.9
51	6.7	7.6	14.1	*	10.2	10.6	1.9	14.6	14.0
52	4.9	4.0	10.4	*	6.1	7.2	1.4	10.6	10.4
53	3.3	1.5	5.4	*	3.2	4.1	-	6.0	6.3
54	1.7	0.3	2.1	-	1.9	1.9	-	3.0	3.4
55	0.5	*	0.4	-	1.0	0.7	-	1.3	1.0
56	0.1	*	*	-	0.3	0.2	-	0.4	0.2
57	*	*	*	-	0.1	*	-	0.2	*
58	*	-	*	-	*	*	-	*	*
59	*	-	-	-	-	*	-	*	-
60 & above	*	-	*	-	-	*	-	-	*
<b>Average mike</b>	<b>47</b>	<b>46</b>	<b>49</b>	<b>40</b>	<b>49</b>	<b>48</b>	<b>41</b>	<b>49</b>	<b>49</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	*	-	-	-
19	-	-	-	-	-	*	-	-	-
20	-	-	-	-	-	*	-	-	-
21	*	-	-	-	-	*	-	-	-
22	*	-	-	-	*	*	-	-	-
23	0.1	-	-	-	0.1	0.1	-	-	*
24	0.5	-	*	-	0.5	0.4	*	*	*
25	1.8	*	*	-	2.0	1.2	1.7	0.4	0.3
26	5.0	0.6	0.3	*	6.5	3.0	3.8	2.2	1.5
27	11.7	4.6	1.7	*	14.7	7.0	9.4	8.7	5.6
28	19.8	14.1	7.6	0.9	20.2	13.4	15.5	19.2	15.6
29	23.2	24.0	18.8	5.8	20.2	19.7	9.9	24.5	25.9
30	18.5	23.9	25.2	4.0	16.4	21.2	11.9	21.4	23.7
31	11.1	16.3	21.1	2.8	10.7	16.4	18.7	14.1	14.8
32	5.4	9.8	14.3	3.1	5.6	9.9	14.8	6.7	7.5
33	2.0	4.5	7.7	11.8	2.2	4.9	11.6	2.4	3.4
34	0.7	1.7	2.6	28.4	0.8	2.1	2.3	0.3	1.3
35	0.2	0.4	0.6	25.6	0.2	0.6	0.3	*	0.3
36 & above	*	0.1	*	17.6	*	0.1	*	*	0.1
<b>Average strength</b>	<b>29.0</b>	<b>29.9</b>	<b>30.4</b>	<b>33.9</b>	<b>28.8</b>	<b>29.7</b>	<b>30.0</b>	<b>29.3</b>	<b>29.6</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 4, 2010

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>MIKE</b>									
24 & below	*	-	-	-	-	-	*	-	*
25	-	-	-	-	-	*	*	-	*
26	-	-	-	-	-	*	0.1	-	*
27	*	-	-	-	*	*	0.1	-	*
28	*	-	-	*	*	*	0.1	-	0.1
29	*	-	*	-	*	*	0.2	-	0.1
30	*	*	-	*	*	*	0.3	-	0.1
31	*	-	*	*	*	*	0.5	-	0.2
32	*	0.3	*	*	*	*	0.7	-	0.3
33	*	0.6	*	0.1	*	*	1.0	-	0.4
34	*	1.1	*	0.1	*	*	1.3	-	0.5
35	*	3.0	*	0.2	*	0.1	1.8	*	0.7
36	*	5.9	0.1	0.3	*	0.1	2.5	*	0.9
37	0.1	9.5	0.1	0.6	*	0.2	3.1	*	1.2
38	0.2	10.4	0.2	0.8	0.1	0.3	3.7	*	1.4
39	0.3	10.2	0.2	1.0	0.2	0.5	4.5	0.1	1.8
40	0.5	8.0	0.4	1.3	0.5	0.8	5.4	0.2	2.2
41	0.9	7.8	0.7	1.8	0.8	1.3	6.2	0.2	2.7
42	1.4	5.0	1.3	2.7	1.6	2.0	7.1	0.5	3.3
43	2.3	8.2	1.9	4.1	3.1	3.2	7.7	0.8	4.1
44	3.7	6.8	3.0	4.7	5.3	5.1	8.0	1.1	5.0
45	5.7	8.7	4.7	4.7	7.8	7.3	8.3	1.6	6.3
46	8.0	5.2	6.6	6.4	10.1	9.9	8.2	2.7	7.7
47	10.3	4.5	8.6	9.4	12.4	12.2	7.8	3.7	9.2
48	12.1	2.7	10.6	11.5	13.5	13.5	6.8	5.6	10.2
49	12.8	1.1	12.3	13.8	13.2	12.9	5.6	7.9	10.6
50	12.7	0.4	12.7	14.8	11.5	10.6	4.1	10.8	10.2
51	11.0	0.4	11.6	11.3	9.2	8.0	2.5	15.1	8.5
52	8.2	0.3	9.7	6.6	5.9	5.6	1.4	17.4	6.1
53	5.6	-	7.3	2.6	3.1	3.4	0.7	16.0	3.7
54	3.1	-	4.5	0.8	1.3	1.9	0.2	10.2	1.8
55	0.9	-	2.4	0.2	0.3	0.8	0.1	4.5	0.6
56	0.2	-	0.8	*	0.1	0.2	*	1.2	0.2
57	*	-	0.2	*	*	*	*	0.3	*
58	-	-	*	-	*	*	*	*	*
59	-	-	*	-	-	-	-	*	*
60 & above	-	-	*	-	-	-	-	-	*
<b>Average mike</b>	<b>49</b>	<b>41</b>	<b>49</b>	<b>48</b>	<b>48</b>	<b>48</b>	<b>43</b>	<b>51</b>	<b>47</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	*
19	-	-	-	*	-	-	-	-	*
20	-	-	-	-	-	-	*	-	*
21	-	-	-	-	-	-	*	-	*
22	-	-	-	*	-	-	*	-	*
23	-	-	*	*	-	*	0.1	-	*
24	*	-	*	*	*	*	0.4	*	0.2
25	*	-	0.8	0.1	0.5	0.3	1.1	0.5	0.7
26	0.3	*	3.5	0.2	2.6	1.4	2.8	3.0	2.1
27	1.0	2.0	11.1	1.0	8.3	5.2	6.3	11.3	5.9
28	3.8	15.9	23.2	3.4	17.5	13.5	11.6	25.4	12.8
29	12.0	36.9	26.8	10.4	23.3	22.5	16.1	31.3	19.5
30	24.7	17.6	19.4	19.7	21.5	25.2	17.8	18.5	21.0
31	26.3	13.7	10.0	26.6	14.7	18.5	16.7	6.9	16.9
32	18.9	11.8	3.9	21.0	8.3	8.8	13.2	2.3	11.1
33	8.9	2.1	1.1	11.3	3.1	3.2	8.4	0.7	6.0
34	3.2	-	0.1	4.5	0.3	1.1	3.9	*	2.6
35	0.8	*	*	1.4	*	0.3	1.2	*	0.9
36 & above	0.1	-	*	0.4	-	*	0.4	-	0.3
<b>Average strength</b>	<b>30.8</b>	<b>29.7</b>	<b>28.9</b>	<b>31.0</b>	<b>29.4</b>	<b>29.7</b>	<b>30.1</b>	<b>28.8</b>	<b>29.9</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 4, 2010

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	*	-	-	-	-
73.5-74.4	-	-	-	-	-	*	-	-	-
74.5-75.4	*	-	-	-	*	*	-	-	-
75.5-76.4	0.2	-	-	-	0.4	0.2	-	-	-
76.5-77.4	1.1	*	*	-	2.0	1.1	0.1	0.2	*
77.5-78.4	4.7	0.3	0.2	*	7.1	4.0	1.3	1.7	0.5
78.5-79.4	13.7	3.2	1.5	0.8	14.7	10.6	12.9	7.4	3.5
79.5-80.4	26.1	19.0	8.0	5.2	20.6	18.5	22.5	19.7	15.2
80.5-81.4	30.6	39.4	32.4	16.7	23.9	24.9	27.6	32.9	36.7
81.5-82.4	18.3	28.8	42.6	31.3	20.0	25.2	25.5	26.5	33.1
82.5-83.4	4.7	8.1	13.9	19.4	8.9	12.6	9.9	9.9	10.0
83.5-84.4	0.5	1.0	1.4	24.0	2.2	2.6	0.3	1.7	0.9
84.5-85.4	*	0.1	*	2.4	0.2	0.1	*	*	*
85.5-86.4	-	*	*	0.1	*	*	*	-	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.5</b>	<b>81.2</b>	<b>81.6</b>	<b>82.4</b>	<b>80.6</b>	<b>81.0</b>	<b>80.9</b>	<b>81.1</b>	<b>81.3</b>
<b>TRASH 2/</b>									
0.0	-	*	-	*	*	-	-	-	*
0.1	4.5	35.7	3.0	19.9	4.6	1.7	7.8	4.5	3.4
0.2	23.2	40.8	20.3	44.7	30.0	17.7	33.0	21.1	17.3
0.3	29.6	14.4	29.2	23.0	30.6	29.3	24.8	24.6	23.9
0.4	21.4	5.2	22.9	8.3	17.6	24.2	18.1	18.8	21.2
0.5	12.0	2.0	13.4	2.7	9.2	14.5	8.7	12.5	15.1
0.6	5.4	0.9	6.6	0.9	4.4	7.2	4.5	7.7	9.2
0.7	2.3	0.4	2.9	0.3	2.1	3.3	2.0	4.7	5.1
0.8	1.0	0.2	1.2	0.1	0.9	1.4	0.9	2.8	2.6
0.9	0.4	0.1	0.5	*	0.4	0.6	0.3	1.6	1.2
1.0	0.1	0.1	0.2	*	0.2	0.2	0.1	0.8	0.5
1.1	0.1	*	0.1	*	0.1	0.1	-	0.4	0.2
1.2	*	*	*	*	0.1	*	*	0.2	0.1
1.3	*	*	*	-	*	*	-	0.1	*
1.4	*	*	*	-	*	*	-	0.1	*
1.5	*	*	*	-	*	*	-	*	*
1.6	*	*	*	-	*	*	-	*	*
1.7	*	*	-	-	-	-	-	*	*
1.8 & above	*	*	-	-	*	*	-	*	*
<b>Average trash</b>	<b>0.35</b>	<b>0.20</b>	<b>0.36</b>	<b>0.23</b>	<b>0.33</b>	<b>0.38</b>	<b>0.32</b>	<b>0.39</b>	<b>0.40</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 4, 2010

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	-	-	*	-	-	*	-	*
75.5-76.4	-	-	-	*	-	*	0.1	-	0.1
76.5-77.4	*	-	*	0.1	-	*	0.7	-	0.4
77.5-78.4	0.3	*	0.3	0.6	0.4	1.0	2.9	0.3	1.9
78.5-79.4	1.9	0.2	3.2	3.3	3.6	5.4	8.9	2.7	6.4
79.5-80.4	8.7	7.3	13.4	13.6	12.4	18.4	18.8	13.2	16.0
80.5-81.4	28.8	46.6	31.2	32.8	28.3	34.4	26.3	34.1	29.7
81.5-82.4	41.4	42.1	34.2	33.3	34.9	29.4	23.1	37.1	29.6
82.5-83.4	16.7	3.7	15.1	14.4	17.2	10.0	13.7	11.5	12.8
83.5-84.4	2.1	*	2.5	1.7	3.1	1.2	4.9	1.2	2.9
84.5-85.4	0.1	-	*	*	0.1	*	0.6	*	0.3
85.5-86.4	*	-	-	*	-	*	*	-	*
86.5-87.4	-	-	-	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	*	-	*
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.6</b>	<b>81.4</b>	<b>81.5</b>	<b>81.4</b>	<b>81.5</b>	<b>81.2</b>	<b>81.1</b>	<b>81.4</b>	<b>81.2</b>
<b>TRASH 2/</b>									
0.0	*	-	*	0.1	-	*	*	-	*
0.1	4.1	45.1	2.5	56.9	1.7	11.4	16.4	4.0	9.2
0.2	21.6	44.5	13.2	31.6	13.1	34.4	29.7	18.4	24.2
0.3	29.0	8.7	23.3	7.2	24.2	27.9	22.8	27.0	25.3
0.4	21.7	1.4	23.7	2.6	23.7	15.0	14.1	24.4	18.6
0.5	12.5	0.2	17.6	1.0	16.7	6.8	7.9	14.2	11.1
0.6	6.3	*	10.5	0.3	9.7	2.8	4.2	6.9	5.9
0.7	2.9	-	5.2	0.1	5.4	1.1	2.3	3.1	3.0
0.8	1.2	-	2.3	0.1	2.8	0.4	1.2	1.3	1.4
0.9	0.5	-	1.0	*	1.4	0.2	0.6	0.5	0.7
1.0	0.2	-	0.4	*	0.7	0.1	0.3	0.1	0.3
1.1	0.1	-	0.2	*	0.3	*	0.2	0.1	0.1
1.2	*	-	*	*	0.1	*	0.1	*	0.1
1.3	*	-	*	*	*	*	0.1	*	*
1.4	*	-	*	-	*	*	*	-	*
1.5	*	-	*	-	*	*	*	-	*
1.6	-	-	*	-	-	*	*	-	*
1.7	-	-	*	-	*	-	*	-	*
1.8 & above	-	-	*	-	*	-	*	-	*
<b>Average trash</b>	<b>0.36</b>	<b>0.17</b>	<b>0.42</b>	<b>0.16</b>	<b>0.42</b>	<b>0.29</b>	<b>0.31</b>	<b>0.37</b>	<b>0.34</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through November 4, 2010


Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	-	10.5	-	-	10.1
	2	-	15.5	-	-	14.8
	3	-	0.3	-	-	0.3
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	26.3	-	-	25.2
02	1	-	11.9	-	-	12.5
	2	-	37.4	-	-	39.1
	3	-	11.2	-	-	10.7
	4	-	0.1	-	-	0.1
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	60.6	-	-	62.4
03	1	-	0.2	-	-	0.2
	2	-	2.4	-	-	2.3
	3	-	8.6	-	-	8.1
	4	-	1.3	-	-	1.2
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	12.6	-	-	11.8
04	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	0.3	-	-	0.3
	4	-	0.2	-	-	0.2
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	0.6	-	-	0.5
05	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	-	-	-	-
06	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	-	-	-	-
07	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	-	-	-	-
STAPLE		-	-	-	-	-
40 & shorter		-	-	-	-	-
42		-	-	-	-	-
44		-	0.8	-	-	0.8
46		-	18.4	-	-	21.6
48 & longer		-	80.9	-	-	77.6
Average		-	48.0	-	-	48.0
UNIFORMITY		-	-	-	-	-
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	-	-	-	-
80.5-81.4		-	-	-	-	-
81.5-82.4		-	-	-	-	-
82.5-83.4		-	0.5	-	-	0.5
83.5-84.4		-	8.2	-	-	7.7
84.5-85.4		-	32.3	-	-	30.5
85.5-86.4		-	42.7	-	-	45.3
86.5-87.4		-	14.7	-	-	14.6
87.5-88.4		-	1.5	-	-	1.4
88.5-89.4		-	-	-	-	-
89.5 & above		-	-	-	-	-
Average		-	85.6	-	-	85.6
BALES CLASSED		0	36,110	0	0	38,615

\* Less than 0.05 percent

Table 22. — Quality of American Pima cotton classed for producers by State and United States through November 4, 2010

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	-	-	-	-
27 - 29	-	-	-	-	-
30 - 32	-	0.5	-	-	0.5
33 - 34	-	2.9	-	-	2.7
35 - 36	-	12.6	-	-	11.8
37 - 42	-	78.8	-	-	75.1
43 - 49	-	5.2	-	-	10.0
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
<b>Average</b>	-	<b>39</b>	-	-	<b>39</b>
ALL MIKE					
24 & below	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	*	-	-	*
30	-	*	-	-	*
31	-	0.2	-	-	0.2
32	-	0.3	-	-	0.3
33	-	1.0	-	-	0.9
34	-	1.9	-	-	1.8
35	-	4.5	-	-	4.2
36	-	8.1	-	-	7.6
37	-	13.0	-	-	12.2
38	-	14.8	-	-	13.9
39	-	16.2	-	-	15.2
40	-	15.5	-	-	14.7
41	-	12.1	-	-	11.6
42	-	7.3	-	-	7.5
43	-	3.6	-	-	5.2
44	-	1.3	-	-	2.8
45	-	0.2	-	-	1.1
46	-	0.1	-	-	0.6
47	-	*	-	-	0.2
48	-	*	-	-	*
49	-	-	-	-	-
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
<b>Average</b>	-	<b>39</b>	-	-	<b>39</b>
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	-	-
32	-	-	-	-	-
33	-	-	-	-	-
34	-	-	-	-	-
35	-	*	-	-	*
36	-	1.4	-	-	1.3
37	-	4.0	-	-	3.8
38	-	3.7	-	-	3.5
39	-	4.4	-	-	4.3
40	-	7.0	-	-	8.1
41	-	10.0	-	-	12.1
42	-	13.4	-	-	13.9
43	-	17.6	-	-	17.0
44	-	17.4	-	-	16.4
45 & above	-	21.0	-	-	19.6
<b>Average</b>	-	<b>42.4</b>	-	-	<b>42.4</b>
EXTRANEEOUS MATTER					
Bark	-	*	-	-	0.1
Grass	-	0.2	-	-	0.1
Spindle Twist	-	-	-	-	-
Preparation	-	*	-	-	*

\* Less than 0.05 percent.



1022999794